

Reverse Osmosis

Net-Wrapped TMRO


Model	Application	Description	Feed Spacer Thickness in. (mm)	Nominal Membrane Area ft ² (m ²)	Dimensions, in. (mm)			Max Pressure Drop per Element psi (bar)
					Length A	Element OD B	Perm Tube ID C	
TMRO 8040 NW	Pharma-Bev Water	FDA Compliant	0.031 (0.79)	400 (37)	40 (1016)	7.9 (201)	1.125 (28.6)	15 (1.0)

Product Type: Net-wrapped (no tail), Spiral Wound Element with Cross-Linked Fully Aromatic Polyamide Composite Membrane

Materials Specifications:	Feed Spacers and Element Outer-Wrap: All Permeate Tubes, ATDs, Ics: Permeate Carrier: Adhesives:	Polypropylene Polysulfone Proprietary Proprietary
---------------------------	---	--

Operating Limits:	Maximum Operating Pressure, psi (bar): Maximum Operating Temperature, °F (°C): Maximum Cleaning Temperature, °F (°C): Acceptable pH Range (operating) : Acceptable pH Range (short-term cleaning) : Maximum Pressure Drop per Vessel, psi (bar): (Consult Toray for pressure limits when operating above ambient temperature) Maximum Oxidant Tolerance:	800 (55.2) 122 (50) 122 (50) 2.5-10.5 1.7-11.5 60 (4.0) Free Chlorine H ₂ O ₂ continuous (ppm) H ₂ O ₂ short-term cleaning (ppm) < 77 °F (25°C)	Not Detectable 20 1000
-------------------	---	---	------------------------------

Dimensions:



TMRO 8040NW
(dimensions include Anti Telescoping Devices)

Performance:	10,200 gpd (38.6 m ³ /d) at 99.7% rejection
Test Conditions:	Feed Water Pressure, psi (bar): 225 (15.5) Feed Water Temperature, °F (°C): 77 (25) Feed Water Concentration, mg/l as NaCl: 2,000 Recovery Rate, %: 15 Feed Water pH: 7

Notice:

1. Elements are preserved in sodium meta-bisulfite. Appropriate personal protective equipment should be worn when handling.
2. Toray accepts no responsibility for results obtained by the application of this information or the safety or suitability of Toray's products, either alone or in combination with other products. Users are advised to make their own tests to determine the safety and suitability of each product combination for their own purposes.
3. All data may change without prior notice, due to technical modifications or production changes.